



VanDutch

VANDUTCH 55 - V DRIVE STANDARD EQUIPMENT AND FEATURES

MEASUREMENTS :

• Length Over All	16.48 m	55 ft
• Length Hull	15.55 m	52 ft
• Beam	4.50 m	14.76ft
• Draft	1.15 m	3.77ft
• Displacement	22 tons	44.000 p
• Fuel Capacity	2500 l	660.5 gal
• Water Capacity	336 l	89 gal
• Max Speed	36 – 40 Knots	

HULL AND DECK EQUIPMENT :

- Hull and deck in composite material using vacuum injection techniques
- Fold-down cleats (8)
- Fenders and shorelines housed in portside box
- Life raft and lifejackets storage
- Anchor with hydraulic pivoting arm
- Anchor chain 250 ft
- Helm Cooling 150 cubic feet per minute axial blower
- Fresh water fill cap on portside
- Fuel fill cap on portside
- Black watercap on portside
- Deck self-draining system
- Cockpit handles
- Deck with Esthec finishing
- Pop-up navigation lights
- LED floor lighting

SEATING AND UPHOLSTERY:

- Seating of helm and leisure area in Silvertex with quick foam
- Electric high/low seats in port and starboard cockpit seats
- Aft sun bed cushions in Silvertex with quick foam

ELECTRONICS AND INSTRUMENTS :

- Simrad NSS Evo 2 navigation and engines control screen
- 2 xVolvoCAN Bus combo instruments
- Electronic CAN Bus throttle controls
- Engines oil alarm
- USB outlet at helm
- Water temperature alarm
- Electric steering system (Steer by Wire)
- Humphree Interceptor Trim system
- Simrad handheld VHF radio

ENGINE ROOM AND FUEL SYSTEM :

- Diesel package: 2 X Volvo 900 hp
- Propulsion: V-drives
- Thermo-acoustic insulation
- Air extraction fan
- Sidepower thruster system
- Fuel tank 2500l / 66Q5 gal
- Automatic fire extinguishing system
- Hydraulic engine room hatch
- Generator Onan 7,5Kw US

ELECTRICAL SYSTEM :

- "One Touch"Electrical control panel
- Service batteries 12v- 4 x 12 V105 AHR maintenance free
- Engine start batteries 24v- 4 x 12 V 1000 CCA
- Head lighting
- Navigation lights
- Built-in Horn
- Battery switches
- Thruster Batteries 24v- 4 x 12 V 1000 CCA
- Xantrex inverter
- Battery charger 1 x12V 50A & 1x 24V 16A
- Shore power connection with cable
- Batteryparalleling for engine starting
- Cathode protection by zinc anodes and ground plate
- Electric flush WC

EMS :

- Easy Maneuvering System, consisting of bow and stern thrusters, including joystick control

CABIN AREA :

- Queen Size V-Berth
- Ceiling lights with dimmer
- Closets Corian finishing
- Floor Esthec finishing
- Air conditioning annex heating
- Saloon with sofa
- Master cabin with double bed
- Guest cabin with 2 single beds
- Cupboards as storage areas
- Two ceiling hatches with Air Sky light blinding and / or mosquito protection
- 220 / 110 volt plugs
- Mirror wall with "Magic Mirror" flat screen
- Simrad -iPod/Radio Wi-Fi sound system

PANTRY AREA :

- Full size sink
- Microwave Oven
- Icemaker
- Induction cooker
- Twin refrigerators

BATHROOM AREA :

- Electric flush head
- Sink/Wash basin with hot/ cold water
- Shower
- Fan
- Toilet accessories
- Mirror with light
- Storage cupboards

BLACK WATER / FRESH WATER / BILGE SYSTEM :

- Tank 151 l/40gal
- Macerator for discharge to sea
- Shore pump connection
- Fresh water pump
- Fresh water tank 336 l/89 gal
- 3 Automatic bilge pumps
- One Manual bilge pump with selector switch

SAFETY EQUIPMENT :

- Portable fire extinguisher
- Fire alarm system
- Fuel detection alarm system
- 12 Life vests

MISCELLANEOUS:

- Aft swim ladder
- Aft shower
- Stainless steel flagpole
- Cleat covers
- Radio / CD / DVD player in Simrad
- iPod/Pad/ phone connection Wi-Fi system
- 2 x 450 watt amplifier
- 2 x Subwoofer
- 4 X Speaker (Deck) 2 x Speaker (Inside)
- Semi-Automatic Bimini top
- LED underwater lights
- Cockpit cover

MODEL / PROPULSION OPTIONS :

VanDutch 55 – V Drive

ENGINE :

2 X VOLVO 900HP (diesel)

MSRP:

Specifications are based on available information at time of printing. Actual specifications may vary.

VanDutch reserves the right to change product line specifications, equipment, colour scheme and pricing, or to discontinue models at any time without notice or obligation.